Fabricator Feed 364

Practicality and Robustness

MIG TUBULAR WIRE



2 YEARS WARRANTY

Fabricator Feed 364

Robustness, practicality in operation and ease of parameter adjustment are the main features of the Fabricator Feed 364. A wire feeder that, together with the Fabricator EM500i, forms the perfect pair for your MIG/MAG and tubular wire applications.

- **Protection** - Feeder with a protective cover for the wire spool.
- **Simple panel** - easy operation.
- **Front-panel functions** - greater agility and speed when adjusting.
- **2T, 4T/4T repeat function** - An option for greater comfort on long weld beads; the 4T and 4T repeat functions let you work with two different parameters and switch between them with the torch trigger.
- **Robustness** - Built from thick, durable steel, ensuring a long service life and reliability in the harshest environments.
- **Mechanism** - Robust wire feed mechanism with 4 drive rolls, ensuring durability and efficient wire feeding.
- **Mobility** - steel handles that make transport easier.

Main applications

- Civil Construction
- Power Generation
- Industrial Manufacturing/Production
- Piping
- Repair and Maintenance
- Naval and Offshore Industry

Visit **esab.com** for more information.

Fabricator Feed 364

Specifications	
Supply Voltage	24 VDC
Wire Feed Speed	2.2 - 25 m/min
Maximum wire spool weight / diameter	18 kg / 300 mm
Wire Diameter — Solid	0.8 - 1.6 mm
Wire Diameter — Tubular	0.8 - 1.6 mm
Dimensions (W x L x H)	250 x 635 x 390 mm
Weight	15 kg
Number of drive rolls	4

Torches (not included)			
Description	**Codes**		
MIG/MAG (gas-cooled)	**3 m**	**4 m**	**5 m**
TBi 353 PRO	0407996	0408141	0408035
TBi 453 PRO	0407997	0408143	0408036
TBi 463 XP	0408145	0408146	0408147
TBi 7G EXPERT	0408158	0408159	0408170
MIG/MAG (water-cooled)	**3 m**	**4 m**	**5 m**
TBi 511 Black Series	0407985	0408023	0408024
TBi 7W EXPERT	0408171	0408172	0408173

Wire feed mechanism guides (not included)	
Intermediate Guide Feed 364	0743503
Inlet Guide Feed 364	0743501
Outlet Guide (2 mm) Feed 364	0743471

Drive rolls* (not included)	
Solid	
Drive roll 0.8 - 1.0 V Feed 364	0744250
Drive roll 1.0 - 1.2 V Feed 364	0743478
Drive roll 1.2 - 1.6 V Feed 364	0743477
Drive roll 1.2 - 1.2 V Feed 364	0743475
Tubular	
Drive roll 1.2 - 1.2 K Feed 364	0743474
Drive roll 1.2 - 1.6 K Feed 364	0743472

The Fabricator Feed 364 is fitted with 1.0-1.2 mm drive rolls for solid wire and includes 1.2-1.6 mm drive rolls for tubular wire.

Fabricator Feed 364

Cable Sets (not included)	
Cable set - 70 mm² (5 m)	0743082
Cable set - 70 mm² (10 m)	0743080
Cable set - 70 mm² (15 m)	0743083
Cable set - 70 mm² (25 m)	0743084

Power Source (not included)	
Fabricator EM500i	0743077

Ordering Information	
Description	**Code**
Fabricator Feed 364	0744196

XA00231385 Rev0 - EN 03 / 2021 / A ESAB reserves the right to change specifications without prior notice.